

IN THE CLAIMS

1. (Currently Amended) A computing system comprising:  
a network based application associated with an object; and  
a server; and  
~~the server including means for~~ to receive a request pertaining to the object from  
a non-network based application, to dynamically access ~~accessing the~~ [[an]] object in  
response to the request ~~embedded in the network based application,~~ and to transfer a  
datum of the object to the non-network based application.
2. (Original) The computing system of claim 1, wherein the computing system includes a personal computer.
3. (Currently Amended) The computing system of claim ~~[[1]]~~ 2, wherein the server and the network based applications are installed on the personal computer.
4. (Currently Amended) The computer system of claim 1, wherein the object includes ~~[[a]]~~ the datum and a method to manipulate the datum.
5. (Currently Amended) The computer system of claim ~~[[1]]~~ 4, wherein the server ~~accesses~~ is to access the object to retrieve the datum.
6. (Currently Amended) The computer system of claim 5, wherein the server is to ~~transmit~~ transmits the retrieved datum to ~~[[a]]~~ the non-network based application.

7. (Currently Amended) A computer-implemented method comprising:  
receiving a request pertaining to an object associated with a network based  
application from a non-network based application;  
dynamically accessing ~~[[an]]~~ the object in response to the request ~~embedded in a~~  
~~network based application; and~~  
transferring a datum of the object to the non-network based application.
8. (Currently Amended) The computer-implemented method of claim 7, ~~further~~  
~~comprising:~~  
~~dynamically accessing to retrieve~~ wherein ~~[[an]]~~ the object includes the datum  
and a method to manipulate the datum.
9. (Currently Amended) The computer-implemented method of claim 8, wherein  
transferring the datum of the object further comprising comprises:  
retrieving the datum of the object; and  
transmitting the retrieved datum to a the non-network based application.
10. (Currently Amended) A server comprising:  
means for receiving a request pertaining to an object associated with a network  
based application from a third party application;  
means for ~~[[to]]~~ dynamically receive requesting a datum of an object from a  
network based application ~~software~~ responsive to ~~[[a]]~~ the request; and  
means for transmitting ~~transmit~~ the datum to ~~[[a]]~~ the third party application.

11. (Original) The server of claim 10, wherein the server, the network based application and the third party application are installed on a personal computer.
12. (Original) The server of claim 10, wherein the network based application includes a World Wide Web site.
13. (Original) The server of claim 10, wherein the third party application includes a non-network based application.
14. (Original) The server of claim 10, wherein the third party application includes a network based application.
15. (Currently Amended) The server of claim [[20]] 10, wherein the network based application includes a JavaScript object.
16. (Original) The server of claim 10, wherein the server includes a programmatic interface to communicate with the object.
17. (Currently Amended) A machine-readable medium providing instructions, which if executed by a processor, causes the processor to perform ~~an operation~~ a method comprising:
- receiving a request pertaining to an object associated with a network based application from a non-network based application;

dynamically accessing [[an]] the object in response to the request embedded in a network-based application; and

transferring a datum of the object to the non-network based application.

18. (Currently Amended) The machine-readable medium of claim 17, ~~further comprising:~~

dynamically accessing to retrieve wherein the ~~[[an]]~~ object includes the datum and a method to manipulate the datum.

19. (Currently Amended) The machine-readable medium of claim 18, wherein transferring a datum of the object further comprising comprises:

retrieving the datum of the object; and

transmitting the retrieved datum to a the non-network based application.